

FOR OMC, JOHNSON AND EVINRUDE OUTBOARDS



117329 11,15 B+ Anode for transom mount, 193 x 43 x 16 mm (ref. N. 97669)



117331 22,18 B+ Anode for intermediate mounting on in-outboards 78-85, 177 x 80 x 40 mm (ref. N. 982756/982438)



117402 20,77 B+ Transom anode for all OMC Cobra 86-89, (ref. N. 984547/983952) 95x110x30 mm



117350 4,93 C+ Anode for Evinrude/Johnson outboards, 46 x 34 x 23 mm



247915 20,24 B+ Front anode for gear box of all OMC Cobra 97-93 "jaw coupling" + Stern Drive Volvo Duo Prop (ref. n. 984513/3853818)




117403 7,91 C+ From 40 to V8 from '88 to '91 (excluded 40-50 from '89) + all OMC Cobra (ref. n. 431708)



117405 19,91 B+ Anode OMC King Cobra 1990/93, (ref.n. 987067)



117404 5,40 C+ Back anode for gear box of OMC Cobra 87-89 (ref. n. 397768)



117377 12,27 B+ Transom anode for all OMC Cobra 90-93 and OMC King Cobra 90-95 (ref. n. 986158/3853930) 91x37x43 mm



117361 17,39 B+ Anode for outboards from 3 cylinders up to V6 from 1991 and later (ref. n. 433580)



117376 3,13 C+ Anode for outboards also suitable for Honda outboards (ref. n. 173029)




117362 4,80 C+ Anode for 737 OMC outboard (ref.n. 398873)



117354 2,18 C+ Anode for outboard 4 1/2, 6, 7 1/2, 8 from '79 to '84 + 4, 6, 8 from '85 to 90



117433 3,60 C+ Fin anode for 60/70 HP 4 strokes



139869 14,43 B+ Anode for stern drive, 81 x 118 x 40 mm (ref. N. 980756)



117333 16,11 B+ Front anode for gear box in boards and OMC Cobra 84-86 + Cobra stern drive (ref. N. 983494)



117332 5,68 C+ Back anode for gear box to be fitted on all OMC Cobra (460 excluded), 86-95 (ref. N. 436745/393023/983315) 38x40x24mm



117440 3,35 C+ Anode 5 HP 4 strokes




117349 6,35 C+ Double anode for Johnson/Evinrude 20/25/35 from '91 up (ref.n. 434029)



117355 13,41 B+ Anode for outboard 50-75 HP from '82 to '84 (excluded 55 and 65 worker) (ref..n. 392461/392462)



117356 12,16 B+ Anode for outboard 50-70 HP (ref..n. 392461)




117401 7,86 C+ Anode for 3/4 cylinders 40/140 HP + 3 to V8 from '85 to '90 + manual overturning models from '91 (rif.n. 398331/433458), 56x43x23 mm



117413 4,75 C+ Anode plate for 9.9 - 15 HP 2 strokes + 8/9.9/15 HP 4 stroke (rif. n. 3386357)



117431 5,57 C+ Fin anode for 40/50 HP 4 strokes



117441 3,26 C+ Leg anode plate for 40/50 HP 4 strokes



139866 2,77 C+ Anode plate for 40/50 HP 4 stroke



139884 11,02 B+ Anode rod for 60/70/200 HP 4 stroke



117488 10,43 C+ Fin 225 HP 4 strokes

ANODE FOR MERCURY/MARINER AND STERNDRIVER MERCUISER OUTBOARDS

139905 7,27 C+ Anode for propeller nut of Mercury outboard up to 30/65 HP, Mariner from 30 to 70 HP (ref. N. 809660)

139906 12,82 C+ Anode for propeller nut of outboard from 65 to 125 HP and for inboard from 80 to 160 HP

139907 12,82 C+ Anode for propeller nut of outboard from 70 to 275 HP and inboard from 120 to 485 HP + Alpha + Bravo I (ref. N. 809664)

139908 16,26 B+ Anode for propeller nut of in-outboard MVM III, 215 H-E, II TR, Bravo II (ref. N. 809670)

139871 2,31 C+ Anode Mercury 4/5/6 HP (ref. orig. 875208)

117394 6,47 C+ Anode, collar Alpha (ref. N. 806105A)

117342 8,19 C+ Anode foot Bravo/Blackhawk (ref. N. 806190A)

117384 6,86 C+ Anode, rectangular plate for stern drive, also suitable for other purposes, to fasten with screws, size: 65 x 65 x 10 mm (ref. N. 34762A1)

117386 35,23 B+ Anode foot for Mercruiser/ Blackhawk (ref. N. 806187-C)

117392 2,03 C+ Outboard anode (ref. N. 09411)

117391 1,90 C+ Outboard anode also suitable for Mariner 6/8/9.5/15 HP (ref. N. 42121)

117390 2,72 C+ Anode for outboards 4.5/7.5/9.8 HP since 1987 (ref. N. 85824A3)

117393 14,90 B+ Plate anode in-outboards Alpha One (ref. N. 815933A1/821629A1)

117389 12,85 B+ Anode for 2 and 4 strokes engine rod from 30 up to 275 HP and Superamerica, with 4 holes (ref. N. 43396A2/818298A1)

117383 C+ 4,99 EUR C+ Base support anode stern drive, thread 12 x 1.75

117387 3,90 C+ Base support anode for stern drive, (ref. N. 55989A), thread 1 x 13 (120/160 HP) (ref. N. 55989A3), 120 HP Alpha-ONE 55

117382 B+ 13,9 EUR Anode for Mercruiser stern drive (ref. N. 821631A-1)

117400 18,45 B+ Plate anode Bravo (ref. N. 821630A/C)

139888 11,35 C+ Fin 25/50 HP, 2 and 4 strokes (ref. N. 822157-C2)

117507 14,67 B+ Fin Alpha One 225 HP

139884 11,02 B+ Plaste 40 HP

139820 12,54 C+ Anode for leg 50/55/60 HP outboard and Mariner same powers (ref. N. 17264)

117406 7,63 C+ Flat fin anode Alpha/Bravo (ref. N. 76214A2)

117385 3,08 C+ Anode foot for Mercruiser/Alpha (ref. N. 806189A)

117381 8,58 B+ Anode for Mercury outboard (ref. N. 71320A3)

117357 5,68 C+ Anode for outboard Mercury from 40 HP up, 2 and 4 strokes (ref. N. 826134)

127025 8,99 C+ Propeller shaft bracket anode Bravo I (ref. N. 806188A)

139890 1,77 C+ Anode for outboard 9.9 l stroke, 15 x 13 mm (ref. N. 825435)

139889 1,49 C+ Washer for outboard leg HP, 2 and 4 stroke 20 x 7.4 mm (ref. N. 823912)

139826 1,36 C+ Washer for outboard leg 2.2/2.5/3/3.3 HP, 23.5 x 7.6 mm (ref. N. 823913) Mercury/Marine

139835 8,76 C+ Trim for outboard 25/30/40, 2 and 4 strokes HP (ref. N. 825271)

117398 4,50 C+ Fin anode for outboard 20 HP (ref. N. 47820A1)

117399 8,05 C+ Fin anode for outboard 18/25 HP (ref. N. 94286)

117396 6,86 C+ Fin anode 2 and 4 strokes 40 to 225 HP, thread 7/16" (ref. N. 31640)

117397 8,92 B+ Fin anode for stern driver (ref. N. 34127)

117388 9,14 C+ Anode for 18/20/25 HP, also Mariner 20/25 HP, Force 25, Yamaha 4str. 50 HP (ref. N. 98432)

117395 9,63 C+ Anode for Mercury/Mercruiser leg with stainless steel propeller (ref. N. 463.99A)

ANODE FOR YAMAHA AND MARINER OUTBOARDS



117479 3,90 C+ Anode plate for 6C/6D/8C (ref. N. 6G1-45251-02-6N0-G-5251-00)



139839 5,45 C+ Fin Yamaha 25/50 HP 4 strokes (ref. orig. 67C-45371-00)



117481 11,35 C+ Short fin anode for Mariner 40/50 HP and Yamaha 40/55 HP (thread in mm) (ref. N. 679-4537100)

247644 11,33 C+ Fin like 43.255.00, but thread 7/16" for 40/60 HP later 1991

117482 12,33 B+ Long fin anode for Mariner 40/140 HP (thread in mm)



117483 5,06 C+ Fin Ø 94 mm, for Mariner 20/50 HP and Yamaha 20/50 HP (ref. N. 664-4537101)



117484 9,84 C+ Fin for 25/200 HP (ref. N. 688-45371 02)

139865 12,29 B+ Fin for 150/200 HP Ø 150/200 mm (ref. N. 6K1-4537102)



117485 1,62 C+ Washer anode Ø 24 x 7 mm (also suitable for Honda 3.5 H) (ref. N. 677-4525100)



126679 3,80 C+ Anode for 4/5/6/8/9.9/15 HP (also Mariner) (ref. N. 6EO-4525112)



16,05 B+ Anode for 100/300 HP (ref. N. 6G5-4525102)



139841 3,26 C+ Bridge anode Yamaha 80/60 HP 4 strokes (ref. orig. 65W-45251-00)




139859 5,93 C+ Anode for 9.9 HP (ref. N. 6G8-4525100)



139860 7,30 C+ Anode for 8-30 HP (ref. N. 61N-4525101)



4139849 2,26 C+ Cylindric anode Yamaha 9,9 HP (rif. orig. 66M-11325-00)



139848 2,26 C+ Cylindric anode Yamaha 20/25 HP (rif. orig. 6J8-11325-00)



139847 2,26 C+ Cylindric anode Yamaha 100/225 HP (rif. orig. 6E5-11325-00)



139846 2,26 C+ Cylindric anode Yamaha 2,5/9,9 HP (rif. orig. 6G8-11325-00)



139845 2,26 C+ Cylindric anode Yamaha 25/90 HP (rif. orig. 688-11325-00)



117357 5,68 C+ Anode 40/70 HP 4 stroke



117491 1,90 C+ Anode washer for 25/70 HP, 24 x 14 mm (ref. N. 663-45251-00)



117485 1,62 C+ Washer anode Ø 24 x 7 mm (also suitable for Honda 3.5 H) (ref. N. 677-4525100)



117486 2,18 C+ Washer anode for 9.9/15 HP Ø 45 mm (ref. N. 6E8-4225100)



117487 5,06 C+ Anode for 115 HP and over (ref. N. 6EC-45251-00)



139851 11,23 B+ Anode for outboard 40/50 HP 4 strokes (ref. N. 63D-4525100)



117601 B+ 42,76 EUR Anode four outboard: F8A/B 9,9D/F9,9B/15D (ref. N. 6E8-45251-02)



117490 11,34 B+ Anode rod for Yamaha and Mariner 40, 205 mm for 25/100 HP (ref. N. 6H1-4525103/01)



117388 9,14 C+ Leg shaft anode 50 HP 4 strokes



139835 8,76 EUR C+ Bar 30/40 HP




139840 3,39 C+ Leg anode Yamaha 30/60 HP (rif. orig. 67C-45251-00)



117488 10,43 C+ Fin anode for 100/225 HP and over, Ø 91 mm (ref. N. 6E5-45371-01)

139864 10,64 C+ Fin anode for 150/200 HP, Ø 97 mm (ref. N. 6K1-4537100)

139838 10,87 C+ Fin anode for 115/130/140 HP, Ø 91 mm (ref. N. 6L6-4537100)



139842 3,13 C+ Leg anode Yamaha 6/8 HP 4 strokes (ref. orig. 68T-45251-00)



139861 3,60 C+ Anode for 40/50 HP (ref. N. 63D-4525110)



126678 10,43 C+ Anode for 50/100 HP 4 strokes (ref. N. 67F-4537100)



118155 3,83 C+ Anode plate for 2B/3A/4B/F4A/4A/5C (ref. N. 6L5-45251-02)




139862 12,10 B+ Anode for 150/225 2 strokes and 150 4 stroke (ref. N. 6J9-4537101)



139843 2,98 C+ Cylindric anode Yamaha 80/100 HP (rif. orig. 67F-11325-00)



139837 10,86 B+ Direction fin Yamaha 225/250 HP (rif. orig. 69L-45371-00)



139863 4,29 C+ Fin anode for 9,9/15 HP 4 strokes (ref. N. 66M-4537100)



139836 7,04 C+ Direction fin Yamaha 60/225 HP (rif. orig. 6E5-45371-10)



139844 2,26 C+ Cylindric anode Yamaha 40/200 HP (rif. orig. 62Y-11325-00)

ANODES FOR SUZUKI OUTBOARD



117442 1,77 C+ Anode washer 4/5/6 HP Ø 22 x 10 mm (ref. N. 55.321-93.142 - 55321-87J00)



117441 3,26 C+ Anode plate 40/115 2 strokes - 200/250 HP 4 strokes (ref. N. 55-330-95.310)



117434 4,57 C+ Fin anode with cooling for 20/25/30 HP 2/3 cylinders, Ø 70 mm (ref. N. 55125-96302-96310)

117436 5,70 C+ Fin anode with cooling for Suzuki engines 55/65 HP, Ø 60 mm (ref. N. 55125-95301)



117435 4,24 C+ Fin anode for Suzuki engines without cooling 55/85 HP, Ø 60 mm (ref. N. 94.400) can be replaced by 43.272.70



117437 7,05 C+ Fin anode for Suzuki engines without cooling 150/175/200/225 HP 2 stroke, + 60/70 HP 4 stroke Ø 88 mm (ref. N. 55125-87D00)



139894 3,55 C+ Suzuki 4 strokes plate 9,9/50 HP (rif. orig. 55300-95500)



117431 5,57 C+ Fin anode for 55/65/75/85 HP and 40/70 HP 4 stroke (ref. N. 55125-95500)



139884 11,02 B+ Rod anode for 60/250 HP 4 strokes (ref. N. 55320-94900)



139866 2,77 C+ Plate anode for 40/50 HP 4 strokes (ref. N. 55300-95500)



117433 3,60 C+ Fin anode for 60/140 HP 2/4 stroke (ref. N. 55125-87E01)



117430 2,52 C+ Plate anode for 55/65/75/85 HP (ref. N. 55320-98400)



139895 4,91 C+ Suzuki 4 strokes plate 60/140 HP (rif. orig. 55321-90J01)



117439 4,91 C+ Plate anode for terminal block for 55/75/85/90/150/200/225 HP (ref. N. 41.810-87D00)



117432 2,31 C+ Plate anode for 8/9.9/15 HP 2 strokes and 9.9/15 HP 4 stroke (ref. N. 53321-93900)



117440 3,35 C+ Plate anode for 4/6 HP (ref. N. 55.320-98.600)

ANODES FOR SELVA OUTBOARDS



117408 12,20 EUR C+ Universal fin anode on round base



139851 11,23 EUR B+ Anode for outboard 40/50 HP 4 strokes



117407 3,39 EUR C+ Fin anode on rectangular base (15 HP)



117414 2,44 EUR C+ Rectangular anode plate, flat



117415 2,44 EUR C+ Rectangular anode plate, bent



117483 5,06 EUR C+ Fin anode for 25/40/50/60 HP 4 stroke



127020 5,99 EUR C+ Foot "U" anode for 40/60 HP



117478 4,47 EUR C* Anode for 4 HP 4 stroke



139860 7,30 EUR C+ Anode 8,30 HP Selva



248453 B+ 42,76 EUR Anode for 9.9/15 HP stroke



139859 5,93 EUR C+ Anode 9,9 HP Selva



139842 3,13 EUR C+ Leg anode Selva 6/8 HP 4 strokes



139817 9,99 EUR C+ Universal rod anode for 40 HP up, 2 stroke



139863 4,29 EUR C+ Fin 9,9 HP 4 stroke Selva



139843 2,98 EUR C+ Cylinder anode Yamaha 80/100 HP Selva



117490 11,34 EUR B+ Selva 25/100 HP



117488 10,43 EUR C+ Fin 100 HP 4 stroke



117489 16,05 EUR B+ Bridge anode 115 HP 4 stroke



139841 3,26 EUR C+ Bridge anode 4 strokes




126678 10,43 EUR C+ Fin 100 HP 4 stroke




139816 4,24 EUR C+ Foot "U" anode for 70/100 HP



139840 3,39 EUR C+ Leg anode 4 strokes

B+ 17,09 EURANODES FOR VOLVO STERN DRIVERS

117469 12,64 B+ TRIM anode for feet 270
(ref n. 832934)



117462 Collar anode for leg 100
(ref n. 875810-4) C+ 5,32 EUR

117463 Collar anode for leg 200
(ref n. 875809-6) C+ 5,21 EUR

117464 Collar anode for leg 270
(ref n. 875805-4) C+ 8,4 EUR



123121 Duo Prop leg (also
Cobra OMC foot)
(ref n. 3854130) B+ 20,58 EUR



139878 Volvo anode
DP/DPR Drive (rif. orig.
3863206/3588746) B+ 17,73 EUR



139877 Anti spray
anode Volvo antispruzzo
Duo Prop
(rif. orig. 3857857) B+ 32,08



139876 Duo Prop leg (also
Cobra OMC foot)
(ref n. 3855411-2) B+ 19,22 EUR



139872 Zinc ogive for propeller
Ø 22/25/30 (ref n. 833913-7) C+ 7,01 EUR

139873 Zinc ogive for propeller
Ø 40/45 (ref n. 828140-4) C+ 12,23 EUR




117445 Anode with screw
for Volvo engines, male/female,
screw 7/16", size 16 x 42 mm
(ref n. 838929) C+ 2,72 EUR



117457 Heat exchanger
anode, 16 x 30 mm
(ref n. 823661) C+ 2,31 EUR



117455 Manifold anode, 12 x
52 mm (ref n. 800476) C+ 1,9 EUR



117468 5,45 EUR C+ Trapezoid anode for
Volvo (ref n. 872175/876638-8)



139879 11,19 EUR B+ Anode Volvo DUO-
PROP (ref. orig. 3588745/
3588768/3588770/3588746/358
8748/3588750)



139824 13,56 EUR B+ Ring Volvo Sail Drive
leg, with Max-PROP propeller, inside
Ø 46 mm

247562 8,84 EUR C+ Anode for Sail Drive
foot propeller, kit of three pieces
(ref n. 3858399)



117465 Collar anode for leg
280/290 (ref n. 875815) C+ 13,76 EUR



117466 Collar anode Sail
Drive. Ø 97 mm, height 28 mm
Sail Drive 120 (ref n. 876286) C+ 11,49 EUR




117467 Collar anode Sail
Drive. Ø 105 mm, height 43 mm
Sea Drive 110 (ref n. 878512)

117461



117458 14,77 EUR B+ Anode with brass plug, Ø
25x30 mm for diesel engines



117461 13,67 EUR B+ Base anode for Duo
Prop foot (ref n. 852835-8)

117454 12,79 EUR B+ Base anode for Duo
Prop foot (ref n. 872139-1)



117460 17,65 EUR B+ Universal rod for AN
foot type 250/270/280, 187
mm (ref n. 832598-7)



133982 21,87 EUR B+ Anode for Volvo Penta
Duo Prop (ref n. 875821-1)



247431 6,11 EUR C+ Twin anodes for
foldable propellers
(110S/120S/1205B/S120C)
(ref n. 852018-1)



117452 3,65 EUR C+ Anode for DPX foot
(ref n. 872675/872793-5)

**ANODES FOR MAX-PROP FOLDABLE PROPELLERS**

39824 13,56 B+ Ring for Volvo Sail Drive
leg, with Max-PROP propeller, inside
Ø 46 mm



139821 9,45 C+ Propeller cone inside Ø
38 mm, for shaft Ø 25/28 mm

139822 11,53 B+ Propeller cone inside Ø
41 mm, for shaft Ø 28/35 mm

139823 17,71 B+ Propeller cone inside Ø
45 mm, for shaft Ø 35/45 mm

ANODES FOR BMW ENGINES STERN DRIVERS

117343 16,48 B+ Collar anode 13 x 52 mm



117345 2,18 C+ Collar anode 13 x 50 mm



117344 13,98 B+ Fin anode model 1988

ANODES FOR RENAULT MARINE CUMMINS – CATERPILLAR – MERCURISER ENGINES

117351 5,40 EUR C+ Anode, cooling plug, thread
18x1,50, Ø mm 15x35

117352 4,89 EUR C+ Anode, cooling plug, thread
16x1,50, Ø mm 11x40

117353 6,51 EUR C+ Anode, cooling plug, thread
16x1,50, Ø mm 11x33



117420 2,52 EUR C+ Shaft nut of 22/25 mm,
thread 16x2,0

ANODES FOR RENAULT MARINE CUMMINS – CATERPILLAR – MERCURISER ENGINES

Cooling rod anodes: C+

Model	length mm	Thread"	Preis
139825	12x52	3/8	2,72 EUR
117423	12x40	3/8	2,72 EUR
117424	9,5x70	1/4	2,72 EUR
117425	30x73	3/4	7,45 EUR
117426	30x82	3/4	5,70 EUR
117427	16x64	3/8	3,26 EUR
117428	16x77	3/8	3,83 EUR
117429	16x90	3/8	3,53 EUR

ANODES FOR "TOHATSU" OUTBOARDS



127024 9,30 EUR C+ Fin anode for 60/70/140 HP, Ø 77 mm (ref. N. 3B7-60217-0)



139885 2,34 EUR C+ Small anode for 9.9/15/18 HP (ref. N. 3B7-60218-1)



139884 11,02 EUR B+ Rod anode for 40/60/140 HP, Ø 190 x 40 mm (ref. N. 3C7-60218-1)

ANODES FOR YANMAR ENGINES



117370 2,65 C+ Circular anode, Ø 20 mm, L43



117373 7,53 C+ Washer anode, Ø 69 x 12 mm



117372 14,82 B+ Collar Sail-Drive (rif. Orig. 19642002652)

ANODES FOR HONDA OUTBOARD



117409 9,11 EUR C+ Fin anode for 25/35/45/50 HP (ref. N. 41107-ZV5000)



117376 3,13 EUR C+ Plate anode for 2/5/8/8.9/15 HP (ref. N. 41106-ZV4-650)



139870 15,75 EUR B+ Plate anode for 75/225 HP (ref. N. 41106-ZW-000)



117412 6,33 EUR C+ Plate anode for 35/45/50 HP (ref. N. 06411-ZV5000)



139867 3,13 EUR C+ Zinc anode for Honda 8/20 HP (original ref. 41106-ZW9-000)



117396 6,86 EUR C+ Fin (ref. N. 0032A)



Rectangular anodes with zinc iron insert, to be screwed or welded. Hydrodynamic shape

Model	size mm (length. x width. x height)	weight kg	Preis
117341	90x35x25	0,25	5,68 EUR
117313	125x46x23	0,50	11,20 EUR
117315	145x62x28	1,04	17,22 EUR
117318	150x70x25	2,06	30,34 EUR
117321	200x100x20	2,90	42,72 EUR
117323	200x100x55	5,20	76,72 EUR



127022 4,80 EUR C+ Fin anode for 35/40HP, Ø 50 mm (ref. N. 348-60217-0)



127023 5,19 EUR C+ Fin anode for 25/40 HP and 40/50 HP Mega, Ø 59.5 mm (ref. N. 3C8-60217-1)



117371 4,21 C+ Circular anode, Ø 20 mm, L5



117375 5,60 C+ Washer anode, Ø 77 mm




117374 3,75 C+ Fin anode

Oval anode simulate vetus two screw mounting:

Model	size mm	on center mm	Weight kg
117325	150x60x25	80	0,900 14,93 EUR B+
139892	250x65x30	140	2,400 35,31 EUR B+
139893	350x70x35	200	4,400 64,74 EUR B+

ANODES FOR VARIOUS ENGINES



Welding anodes, tapered, can be pierced and bolted

	117299 ZP-0	117302 ZP-1	117306 ZP-3	117310 ZP-2	1173191 ZF-2
A	203	260	340	430	250
B	120	178	231	280	120
C	40	60	76	98	80
D	25	30	30	48	45
Kg	0,5	1,2	2,0	5,0	2,0
Preis	11,71 C+	19,92 B+	30,34 B+	74,17 B+	28,30 B+

Threaded anode for cooling system

117378 3,53 EUR C+ Size 10 x 40 mm, thread 3/8"

117379 7,84 EUR B+ Size 20 x 80 mm, thread 3/4"

117380 5,22 EUR C+ Size 16 x 50 mm, thread 1/2"



247440 6,27 EUR C+ Plate anode, 100 x 50 x 8 mm, weight 300 g



100510 4,18 EUR C+ Convex plate anode 80 x 55 mm, on center 50 mm, weight 180 g



117443 4,28 EUR C+ Universal anode for engines Chrysler, Evinrude, Johnson and other outboards, to be mounted on anti-cavitation plate



247830 16,24 EUR B+ Rectangular plate anode, 160 x 70 x 15 mm, weight 900 g




117326 5,45 EUR C+ Soap shape anode, weight 300 g

4139886 10,99 EUR C+ Soap shape anode, weight 550 g



Diverse Anoden Wellenanoden Alle Zinkanoden Modelle lagernd !!! Die grösste Auswahl Mitteleuropas !!! Modell nicht gefunden? mit Maßen oder Skizze bei uns melden!



Low olive for propeller shaft on sail boats with poor room space, with stainless steel studs and nuts:

Model	Hole Ø mm	Thickness mm	Preis
116390	20	14	6,42 EUR C+
116391	22	14	7,06 EUR C+
116392	25	14	7,78 EUR C+
116393	30	15	8,45 EUR C+
116394	35	20	8,45 EUR C+
116395	40	20	9,61 EUR C+
116396	45	30	9,61 EUR C+
116397	50	30	9,61 EUR C+

Round anode for rudder,

Model	Ø mm	Pair weight g	Type	Preis
139880	50	200	heavy	6,41 EUR C+
114474	70	300	light	7,32 EUR C+
139881	70	450	heavy	10,82 EUR C+
114475	90	500	light	11,89 EUR C+
139882	90	890	heavy	17,82 EUR B+
114476	130	1350	heavy	25,66 EUR B+
139883	190	6140	heavy	90,76 EUR B+



117309 Bolting anode weight 3 kg, on center 200 mm (Z3) 41,91 EUR B

Bolting anodes, with rubber plate:

Model	Weight kg	Size mm	On center mm	Preis
117317	1,2	150x70x20	74	21,54 EUR B+
123040	1,3	148x70x26	74	20,97 EUR B+
117320	2,5	200x100x20	110	40,09 EUR B+
117322	3,8	200x100x30	110	58,00 EUR B+
117327	6,2	300x148x21	160	95,85 EUR B+



117306 Round anode simulate Vetus bolt mounting, Ø 80x45h. B+ 30,34 EUR

117492 Mooring anode, weight 2 kg 25,75 EUR B+



117471	Boss anode for Radius, Ø 25 mm	6,37 EUR C+
117472	Boss anode for Radius, Ø 30 mm	6,37 EUR C+
117473	Boss anode for Radius, Ø 35 mm	9,12 EUR C+
117474	Boss anode for Radius, Ø 40 mm	8,25 EUR C+
139827	Boss anode for Radius, Ø 45 mm	14,54 EUR B+
117476	Boss anode for Radius, Ø 50 mm	20,20 EUR B+

117418

Washer anode weight 0.520 kg, Ø 57, Castoldi

11,84 EUR C+

117419

Washer anode weight 1.500 kg, Ø 83, Castoldi

24,27 EUR B+

117417

Washer anode, with nut M10 30 mm, Ø 22, Castoldi

2,72 EUR C+

Round anodes, heavy, to be bolted:

Model	Ø mm	Weight g	Preis
139896	110	690	12,70 EUR B+
117301	120	1000	16,72 EUR B+
139897	125	1080	17,91 EUR B+
139898	140	1570	23,21 EUR B+



Brass ogive for propeller shaft, standard thread with interchangeable zinc anode:

Model	Shaft Ø mm	Thread mm	Spare anode
116413	20	16x1,5	116387 14,75 EUR / 4,55 EUR
116414	25	18x1,5	116387 14,75 EUR / 4,55 EUR
116416	30	20x1,50	116387 14,75 EUR / 4,55 EUR
116417	35	24x2,00	116388 34,56 EUR / 14,36 EUR
116418	40	26x2,00	116388 34,56 EUR / 14,36 EUR
116419	45	30x2,00	116388 34,56 EUR / 14,36 EUR

Propeller anodes Radice type from 1996 with brass inner hexagon and zinc anode:

anode with bolt	anode only	for shaft mm	Ø mm thread	Preis / Preis Ersatzzink
139828	139852	20/22/25	18x1,5	11,23 EUR / 3,83 EUR
139829	139853	30	20x1,5	16,20 EUR / 6,19 EUR
139830	139854	35	24x2	19,51 EUR / 8,91 EUR
139831	139855	40	24x2	27,11 EUR / 12,33 EUR
139832	139856	45	33x2	36,48 EUR / 13,28 EUR
139833	139857	50	36x3	48,13 EUR / 16,05 EUR
139834	139858	60	45x3	82,14 EUR / 27,74 EUR



Ogive shaft anodes with standard thread, with interchangeable zinc

Model	Shaft Ø mm	Thread mm	Spare anode	Preis / Preis Ersatzzink
114413	20	16x1,5	114421	12,87 EUR / 3,98 EUR
114414	25	18x1,5	114422	21,32 EUR / 6,37 EUR
114415	30	20x1,5	114423	21,32 EUR / 6,37 EUR
114416	35	24x2,0	114424	32,58 EUR / 11,61 EUR
114417	40	26x2,0	114425	32,58 EUR / 12,07 EUR
114418	45	30x2,0	114426	46,50 EUR / 13,76 EUR
114419	50	36x3,0	114420	66,22 EUR / 19,20 EUR



Olive for propeller shaft with stainless steel studs and nuts:

116398	hole mm 20,0	12,13 EUR C+	-116399	hole mm 22,0	10,74 EUR C+
116400	hole mm 25,0	10,38 EUR C+	-116401	hole mm 30,0	10,35 EUR C+
116403	hole mm 31,8	9,92 EUR C+	-116404	hole mm 35,0	14,60 EUR B+
116405	hole mm 38,0	17,30 EUR B+	-116406	hole mm 31,8	15,88 EUR B+
116407	hole mm 45,0	15,62 EUR B+	-116409	hole mm 50,0	16,76 EUR B+
116410	hole mm 55,0	35,08 EUR B+	-116411	hole mm 60,0	36,58 EUR B+
116412	hole mm 65,0	47,16 EUR B+	-116385	hole mm 70,0	44,37 EUR B+

